


PROFESSIONAL POWER TOOLS

SC. 1 - 2023 VOL. 1 MASTER CATALOGUE

PROFESSIONAL POWER TOOLS









ANGLE GRINDER



High power motor

High efficiency, better grinding effect

Push-button self-locking switch

Better to resolutely change the grinding wheel when there will be rotation problems



Auxiliary handle can be installed

Removable dust filter

Reduce dust entering the fuselage

and damage the internal structure

The two-hand operation is more powerful and the work is faster

Sturdy aluminum head shell

Strong anti-fall ability, enhance the service life of the machine


Input power

-Safety wheel cover

Prevent sparks from splashing and solve personal safety hazards during operation

SC-AG-4-351 Rated voltage/frequency :220V~ 50Hz No load speed :11000r/min

Disc diameter



100mm ANGLE GRINDER



SC-AG-4-352		10PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1200W	
No load speed	:11000r/min	
Disc diameter	:100mm	Ш



100mm ANGLE GRINDER



SC-AG-4-354		8PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1000W	
No load speed	:11000r/min	
Disc diameter	:100mm	Ш





100mm ANGLE GRINDER



SC-AG-4-353		8PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1250W	
No load speed	:11000r/min	
Disc diameter	:100mm	



125mm ANGLE GRINDER



SC-AG-5-356		8PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1300W	
No load speed	:11000r/min	
Disc diameter	:125mm	





SC-AG-5-357		6PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1900W	
No load speed	:11000r/min	
Disc diameter	:125mm	





20mm ROTARY HAMMER



SC-RH-331		5PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:750W	
No load speed	:11000r/min	
Drill diameter	:20mm	Ш





SC-RH-26-336		5PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:2000W	
No load speed	:11000r/min	
Drill diameter	:26mm	Ш



26mm ROTARY HAMMER



SC-RH-335		5PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1100W	
No load speed	:11000r/min	
Drill diameter	:26mm	



DEMOLITION HAMMER



SC-DH-11-373		2PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:2200W	
No load speed	:2900r/min	
***************************************		····· □

DEMOLITION HAMNER



Big switch -

Push the switch, comfortable and convenient, more sensitive

Auxiliary handle—

Can be rotated in different directions for easy operation

Alloy body ———

Robust and durable to protect the machine from damage and increase the service life

Strengthen the cylinder-

Strong explosive power, durable demolition, easy



Good electrical conductivity can better protect the motor from damage

Rubberized handle

Push the switch, comfortable and convenient, more sensitive

SC-DH-22-370

Rated voltage/frequency

:220V~ 50Hz

Impact rating
Impact Power

:1450r/min

:46J



10J DEMOLITION HAMMER



SC-DH-7-371		2PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1500W	
Impact rating	:1450r/min	
Impact Power	:10J	Ш



10J DEMOLITION HAMMER




SC-DH-MX-374		2PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:2000W	
Impact rating	:2900r/min	
Impact Power	:10J	



MARBLE CUTTER





SC-MC-5-367	7			4PCS
Rated voltage/frequency	:220V~ 50Hz	No load speed	:13000r/min	
Input power	:2300W	Disc diameter	:125mm	



SC-MC-4-365		4PCS
Rated voltage/frequency	:220V~ 50Hz	•
Input power	:1500W	•
No load speed	:13000r/min	
Disc diameter	:110mm	Ш



SC-MC-4-366		6PCS
Rated voltage/frequency	:220V~ 50Hz	
	4050\4	
Input power	:1850W	
Noloadapood	:11000r/min	0
No load speed	:11000r/min	
Disc diameter	:110mm	

150 11 110mm MARBLE CUTTER



SC-MC-4-364		6PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1500W	
No load speed	:13000r/min	
Disc diameter	:110mm	Ш

10mm ELECTRIC DRILL



SC-DL-10-360		10PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:500W	
No load speed	:0-3200r/min	
Drill diameter	:10mm	Ш

POWER 12800 1/1 12mm ELECTRIC ROUTER



SC-ER-12-309		2PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:2800W	
No load speed	:11000r/min	
Disc diameter	:12mm	

185mm CIRCULAR SAW



SC-CS-7-368		4PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:2000W	
No load speed	:5000r/min	
Disc diameter	:185mm	Ш





SC-DL-13-362		6PC
Rated voltage/frequency	:220V~ 50Hz	
Input power	:950W	
No load speed	:0-3200r/min	
Drill diameter	:13mm	L





SC-EP-82-303		4PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:1000W	
No load speed	:16500r/min	—
Planing width/depth/Raveting depth	:82mm/0-2mm/0-8mm	止








	8PCS
:220V~ 50Hz	
:850W	
:29000r/min	
:25mm	
	:850W :29000r/min





SC-WC-5-133		2PCS
Rated voltage/frequency	:220V~ 50Hz	
Input power	:5800W	
No load speed	:13000r/min	
Disc diameter	:133mm	

GASOLINE CHAINSAW



	8-340) / SC-CS-22-	340	2PCS
Displacement	:65CC	No load speed	:13000r/min	
Input power	:2300W	Guide bar size	:18/22 inch	









SC-CS-18-341-62CC / SC-CS-22-341-62CC Displacement :62CC Guide bar size :18/22 inch No load speed :13000r/min



SC-CS-1	8-342-6	scc/sc-c	S-22-342-68CC	2PCS
Displacement	:68CC	Guide bar size	:18/22 inch	
No load speed	:13000r/min			



	SC-CS-18-345-68CC / SC-CS-22-345-68CC					
Displacement	:68CC	Guide bar size	:18/22 inch			
	:13000r/min					



BRUSH CUTTER





SC-BC-740			4PCS
Engine type :4-stroke, single cylinder, air cooled	Rated Power :1.45KW	Fuel tank capacty :850ml	Mixture fuel :Pure Gasoline
Displacement :35.8cc	Idling speed :7500r/min	Pipe Diameter :28mm	



SC-BC-745					
Engine type :4-stroke, single cylinder, air cooled	Rated Power :1.45KW	Fuel tank capacty :850ml	Mixture fuel :Pure Gasoline		
Displacement :35.8cc	Idling speed :7500r/min	Pipe Diameter :28mm			

IGBT WELDING MACHINE





SC-WM-1P-200					
Rated voltage/frequency	:220V~ 50/60Hz	Output current	:20-200A	Duty cycle at40	:30%
Input power	:10000W	Power factor	:0.76	Electrode	:1.6-4.0mm





SC-WM-2P-250S					
Rated voltage/frequency	:220/380V~ 50/60Hz	Output current	:20-250A	Duty cycle at40	:30%
Input power	:13000W	Power factor	:0.76	Electrode	:1.6-5.0mm

